



A1P2 R PAD filter



Respiratory protection: filters

Description and composition:

This filter is manufactured with high-resistance materials that do not produce noxious effects to the user's health and hygiene.

It is designed to offer excellent protection against: organic gases and vapours with a boiling point above 65 °C and solid and liquid particles, such as dust, smoke, aerosols...

This filter may be used with all Medop half masks with bayonet connection.

Maximum level of use:

Gas and vapour filter - Use level 1: limit value 1000 ppm; 0.1% volum.

Particle filter - Use level 2: limit value between 10 mg/m³ and 0.1 mg/m³ (12 x TLV).

Weight: 93 g.



Bayonet connection





Protection against:
gases, vapours and particles



Category III

Ref:	Product
911.489	A1P2 R PAD filter

Respiratory protection: filters

Standard and certification	EN 143 CE EN 14387 CE
Applications	Disinfection, spraying or varnishing with water-soluble paint, lacquers, pesticides, solvents and wood preservatives. Do not use in atmospheres with less than 19,5% oxygen content volume.
Conservation Storage - Expiry	Store in storage case in a cool, well ventilated place, avoiding humidity, dirt and dust. Shelf life of the filters is indicated on them and is valid for sealed wrappers. The expiry date is marked in the following way: XX / XXXX (MONTH/YEAR) 
Directions Use	This filter filters contaminated air, but it does not provide oxygen. Thus, it must not be used when the ambient oxygen content is below 19,5% volume. Immediately leave the work area and replace your filters if during use: - You find it hard to breathe. - You feel dizzy or vertigo. - You smell or taste contaminant.
Presentation	8 units per box. 18 boxes per carton. Measurements: 483 x 262 x 507 mm 
Barcode	GTIN-13: 8423173874216 GTIN-14: 38423173874217

